

**HYDRO-COS s.n.c. di ROTOLO ANTONIO & C.**

**s.s. 7 km 611 – Castellaneta (TA)**

**Tel. Fax/: 099/8493853 – 5**

**[www.hydrocos.com](http://www.hydrocos.com) – e-mail: [info@hydrocos.com](mailto:info@hydrocos.com)**

 ARGENTA S.O.A.  
SOCIETA' ORGANISMO DI ATTESTAZIONE



Intertek

## GIUNTO MULTIDIAMETRO “SUPER HYDRO” – “SUPER HYDRO” MULTISIZE JOINT

**SPECIFICHE TECNICHE:** corpo centrale realizzato in acciaio al carbonio S235JR (o superiore, a richiesta), o in acciaio inossidabile AISI 304 (o AISI 316, a richiesta). Tiranti in acciaio al carbonio zincati. Verniciatura in polveri epossidiche atossiche (RAL su richiesta del committente), guarnizione EPDM anti-invecchiante e atossica.

**TECHNICAL SPECIFICATIONS:** carbon steel S235JR (or higher, on request) or stainless steel AISI 304 (AISI 316, on request) main body. Hot-galvanized carbon steel nuts and bolts. Non-toxic epoxy painting coating, (RAL on request). Anti-aging non-toxic EPDM rubber gasket.

CODICE / CODE	RANGE mm	TIRANTI / CONNECTING RODS
SH 10	47 – 72	3
SH 20	70 – 83	3
SH 30	89 – 106	3
SH 40	106-130	3
SH 50	130 – 155	4
SH 60	154 – 175	4
SH 70	166 – 183	4
SH 80	183 – 207	4
SH 90	207 – 225	4
SH 100	217 – 236	4
SH 110	222 – 250	4
SH 120	245 – 270	6
SH 130	263 – 284	6
SH 140	280 – 306	6
SH 150	304 – 326	6
SH 160	313 – 335	6
SH 170	332 – 355	6
SH 180	358 – 386	6
SH 190	385 – 410	6
SH 200	406 – 435	6
SH 210	430 – 462	6
SH 220	465 – 500	8
SH 230	500 – 540	8
SH 240	530 – 570	8

SH 250	570 – 610	9
SH 260	600 – 640	9
SH 270	680 – 720	9
SH 280	700 – 740	10
SH 290	730 – 770	10
SH 300	780 – 820	10
SH 310	810 – 850	12
SH 320	890 – 930	12
SH 330	910 – 950	12
SH 340	940 – 980	12
SH 350	1000 – 1040	12
SH 360	1030 – 1070	12
SH 370	1060 – 1100	14
SH 380	1090 – 1130	14
SH 390	1120 – 1160	14
SH 400	1150 – 1190	14
SH 410	1180 – 1220	14
SH 420	1210 – 1250	14
SH 430	1240 – 1280	16
SH 440	1270 – 1310	16
SH 450	1300 – 1340	16
SH 460	1330 – 1370	16
SH 470	1360 – 1400	16
SH 480	1390 – 1430	16
SH 490	1420 – 1460	16
SH 500	1450 – 1490	16
<b>ALTRE MISURE A RICHIESTA / OTHER SIZES ON REQUEST</b>		